DUPONT™ CORIAN® DELIGHT

Product Data Sheet

1. Product name:

Corian® Delight bathtubs

2. Manufacturer:

DuPont de Nemours International Sàrl 2, Chemin du Pavillion P.O. Box 50 CH-1218 le Grand Saconnex Geneva, Switzerland www.corian.com

3. Product description:

Corian® Delight bathtubs are solid surface products used as bathtubs for residential and commercial applications.

Corian® Delight 8430 is a freestanding model that is ready to install, while Corian® Delight 8410 and 8420 can be customised (see point #7).

4. Material composition:

Corian® Delight bathtubs are made in solid surface material which consists of acrylic-modified polyester resin and ATH filler. It is homogeneous throughout its thickness, hygienic, durable, repairable, renewable and has excellent sensory qualities.








Corian® Delight 8430



DUPONT™ CORIAN® DELIGHT - PRODUCT DATA SHEET

5. Standard products:

Corian® Delight products are available in Delight White colour, a close match to Glacier White colour of Corian®, in the following formats:




All dimensions in mm

Product Name	Dimensions (WxLxH) mm	Internal Dimensions mm	Net Weight	Gross Weight
Corian [®] Delight 8410	1050x2030x530	650x1630x440	122 kg	169 kg



DUPONT™ CORIAN® DELIGHT - PRODUCT DATA SHEET





All dimensions in mm

Product Name	Dimensions (WxLxH) mm	Internal Dimensions mm	Net Weight	Gross Weight
Corian® Delight 8420	1050x2050x530	650x1650x440	115 kg	162 kg



DUPONT™ CORIAN® DELIGHT - PRODUCT DATA SHEET





All dimensions in mm

Product Name	Dimensions (WxLxH) mm	Internal Dimensions mm	Net Weight	Gross Weight
Corian ^o Delight 8430	795x1690x497	770x1643x450	102 kg	142 kg

6. Dimensional tolerances:

Corian® Delight products have the following dimensional tolerance limits:

Length: ± 2 mm Width: ± 2 mm

Warp Flange: 2 mm width, 4 mm length

7. Customisation and installation:

Corian® Delight 8430 is a ready to install, freestanding model, while Corian® Delight 8410 and 8420 can be cut to size and customised using Corian® fabrication techniques.

The top surface trimming should never be closer than 50mm from the edge of the basin.

Corian® Delight products are made in Delight White colour, a close match to the Glacier White colour of Corian®.

Fabrication techniques should take into account that when Corian® Delight bathtubs are glued to Corian® Glacier White sheets, there might be a minor colour difference.

Allow a minimum of gap of 3mm with walls and flooring. This is required to allow expansion of the product.

The expansion gap should be caulked with silicone or polyurethane sealants to avoid water infiltration.

This information is based on technical data that E. I. du Pont de Nemours and Company and its affiliates ("DuPont") believe to be reliable, and is intended for use by persons having technical skill and at their own discretion and risk. DuPont cannot and does not warrant that this information is absolutely current or accurate, although every effort is made to ensure that it is kept as current and accurate as possible. Because conditions of use are outside DuPont's control, DuPont makes no representations or warranties, express or implied, with respect to the information, or any part thereof, including any warranties of title, non-infringement of copyright or patent rights of others, merchantability, or fitness or suitability for any purpose and assumes no liability or responsibility for the accuracy, completeness, or usefulness of any information. This information should not be relied upon to create specification and easigns, or installation guidelines. The persons responsible for the use and handling of the product are responsible for ensuring the design, fabrication, or installation mork without proper training or without the proper personal protection equipment. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents. DuPont shall have no liability for the use of or results obtained from such information, whether or not based on DuPont's negligence. DuPont shall not be liable for (i) any damages, including claims relating to the specification, design, fabrication, installation, or combination of this product with any other product(s), and (ii) special, direct, indirect or consequential damages. DuPont reserves the right to make changes to this information and to this disclaimer. DuPont encourages you to review this information and this disclaimer periodically for any updates or changes. Your continued access or use of this information shall be deemed your acceptance of this disclaimer and any changes and the reasonableness of these standards for notice of change