



Door Accessories

Door Stop : TZ-F5210




Size : \varnothing 28/35 mm. x 40 mm.
Material : SS304
Finish : SSS, Black Nickel
Features : Floor mounted

Door Stop : TZ-F5200




Size : \varnothing 35/28 mm. x 43 mm.
Material : SS304
Finish : SSS
Features : Floor/Wall mounted

Door Stop : TZ-F5100



Size : 25 mm. x 44 mm.
Material : SS304
Finish : SSS
Features : Floor mounted


Door Stop : TZ-F5500



Size : \varnothing 32/16 mm. x 80 mm.
Material : SS304
Finish : SSS, Black Nickel
Features : Wall mounted


Door Accessories

Eye Viewer : TZ-F2020 (without cap)




- Size** : \varnothing 26/22 mm. x 35-55 mm.
Material : Brass
Finish : SN, Black Nickel
Features : - For door thickness 35-55 mm.
 - Angle 180 degrees

Eye Viewer : TZ-F2020 (with cap)



- Size** : \varnothing 30/25 mm. x 34 mm.
Material : Brass
Finish : SN, Black Nickel
Features : - For door thickness 35-55 mm.
 - Angle 180 degrees

Circular Cup Handle : ST-F1194



- Size** : 38 mm. x 48 mm.
Material : SS304
Finish : SSS
Features : Pull handle

Recessed Cup Handle : ST-CH001



- Size** : \varnothing 74 mm.
Material : SS304
Finish : SSS
Features : Pull handle

Door Accessories

Escutcheon : Round / Oval




Round



Oval


- Size** : $\varnothing 54 \times 8$ mm. / $63 \times 30 \times 8$ mm.
- Material** : SS304
- Finish** : SSS
- Features** : For Euro profile cylinder

Flush Bolt : TZ-F8020-8" / TZ-F8030-12"



- Size (8")** : 20 mm. x 200 mm.
- Size (12")** : 20 mm. x 300 mm.
- Material** : SS304
- Finish** : SSS
- Features** : For wooden door

Flush Bolt : TZ-F8040-8" / TZ-F8041-10" / TZ-F8042-12"



- Size (8")** : 24 mm. x 200 mm.
- Size (10")** : 24 mm. x 250 mm.
- Size (12")** : 24 mm. x 300 mm.
- Material** : SS304
- Finish** : SSS
- Features** : For Steel/Aluminum frame door


Flush Bolt : TZ-F8050-6" / TZ-F8070-12"



- Size (6")** : 25 mm. x 150 mm.
- Size (12")** : 25 mm. x 300 mm.
- Material** : SS304
- Finish** : SSS
- Features** : For wooden door


Door Accessories

Flush Pull : ST-F1167




- Size** : 120 mm. x 50 mm.
- Material** : SS304
- Finish** : SSS, Black Nickel Matt
- Features** : Handle

Flush Pull : ST-F1167A (Side screw)




- Size** : 150 mm. x 50 mm.
- Material** : SS304
- Finish** : SSS, Black Nickel Matt
- Features** : Handle

Engineer Key : ST-CHS001



- Size** : 76 x 47 mm. (mortice)
86.5 x 25 mm. (key)
- Material** : SS304
- Finish** : SSS
- Features** : For shaft room


Door Coordinator : DK-DC01



- Size** : 172 x 139 mm.
- Material** : SS304
- Finish** : SSS
- Features** : Door Coordinator for heavy duty

Door Accessories

Door Coordinator : DK-DC02



Size : 32",42",52",60",72"x 40.7 mm.
Material : SS304
Finish : SSS
Features : Door Coordinator for Normal use

No.	Product Code	Door Width	Dimension (mm.)
1	DK-DC02-32"	≤1500	813
2	DK-DC02-42"	1500-1800	1,067
3	DK-DC02-52"	1800-2400	1,321
4	DK-DC02-60"	2400-2645	1,525
5	DK-DC02-72"	2500-2800	1,829

Door Guard : ST-F3000




Size : 150 x 65 mm.
Material : Zinc Alloy
Finish : Satin Nickle (SN)
Features : Mount on the wall

Security Door Chain : SDC01



Size : Face 58 x 25 mm.
Material : Zinc Alloy
Finish : Satin Nickle (SN)
Features : For wooden doors, minimum door thickness 40 mm.


Dust Proof Socket : ST-F1154



Size : \varnothing 25/19 mm. x 38 mm.
Material : SS304
Finish : SSS
Features : Support a bolt

Door Accessories

Drop Seal : IS8010si




Size : Length 380,600,820, 920, 1070,1220 mm.

Material : Aluminum, Silicone

Finish : Stainless steel end plate



Door Seal : IS1005si, IS1008si



Size : $\varnothing 5$, $\varnothing 8$ mm.

Material : Silicone

Finish : Black, Grey, Dark brown

Features : Bulb type silicone compression seal for smoke and acoustic door



Kick Plate :



Size : 1100 x 800 x 1.5 mm.
900 x 800 x 1.5 mm.

Material : SS304

Finish : SSS

Features : Attach in front of the door.